# **4T Motorcycle FS 10W40**

Product Data Sheet | Art.no 4A12.04

### **Description**

A fully-synthetic motorcycle oil, based on highquality synthetic oil. Specially developed for modern, very heavy-duty motorcycles. With this oil, slippage, sticking and difficulty in shifting the clutch plates are things of the past.



## Instructions for use

Check the oil level of your vehicle regularly. Never top up the oil to above the maximum fill indicator line on the dipstick. Use a type of oil as specified in the manual for your vehicle. The safety information sheet is available on request or can be downloaded from the website.

#### Available in











20L

208L

#### Performance level

API SN JASO MA JASO MA2

## Typical standard analyses

Density at 15 °C, g/ml	0.876
Kinematic viscosity at 40 °C, mm²/s	91
Kinematic viscosity at 100 °C, mm²/s	14.1
Viscosity index	160
B.N. (HCLO4 method), mg KOH/g	6.6
Pour point, °C	-39
CCS viscosity at -25 °C, mPa.s	5600
Flash Point COC, °C	224

Date printed 21-06-202

The information shown here is intended to give the reader an impression of the characteristics and possible applications of our products. Although this overview has been compiled with all due care on the date shown, the compiler accepts no liability for loss or damage resulting from omissions or errors in the overview, especially where these result from obvious typing errors. The supplier's terms and conditions of delivery are applicable to all deliveries of these products. Readers are advised to make a final choice in consultation with the supplier, especially for critical applications. An up-to-date safety information sheet for this product is available to download via our website. General Terms and Conditions: <a href="https://www.gvg.ni/terms">www.gvg.ni/terms</a>

